This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

FIG. 1




FIG. 2






FIG. 3A








FIG. 4A









FIG. 4C



FIG. 4D







FIG. 6A





Marker


467 bp -


min after anti-CD3 stimulation


FIG. 8A























FIG. 12A




FIG. 12B




FIG. 12C





FIG. 12D






FIG. 13




FIG. 14A




FIG. 14B



FIG. 14C




FIG. 15




FIG. 16A




FIG. 16B




FIG. 17A







FIG. 17B







Alkaline Phosphatase Assay

FIG. 13




FIG. 13




FIG. 13




FIG. 14A




FIG. 14B



FIG. 14C




FIG. 15




FIG. 14C




FIG. 15




FIG. 17A




FIG. 17A

